

# Dusk Scheme Homewood Suites



Guest Room (B) CP-01



Guest Room (B) CP-01

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Guest Room (B) CP-01

Style Name: HS132
Color: 110
Machine Type: Dynamics
Pattern Repeat: 144" x 168"

Width: 12'

Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Recycled Content: 10% pre-consumer recycled content

Environmental

Information: CRI Green Label Plus™ Certified

Construction: Dynamics
Gauge: 1/10th
Tufted Pile Weight: 32 oz.


Finished Pile Height: High .250"/Med .187"/Low .062"

NOTE: Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.

Glue: Per Manufacturer's Recommendations.

Manufacturer's Recommended Transition Strip: Slim Line Transition



Product Type: Slim Line TransitionStyle Number: SLT-63-A

Color Number: 63 Burnt Umber
Specs: 1/4" (6.35mm) to 1/8" (3.18mm) materials





#### Guest Room Carpet Tile (B) CP-01ALT

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Guest Room Carpet Tile (B) CP-01ALT

Style Name: HS13T Color: 110

Machine Type: Dynamics Tile
Pattern Repeat: 74" x 99.58"
Tile Size: 18" x 36"
Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Recycled Content: 10% pre-consumer recycled content

Environmental

Information: CRI Green Label Plus™ Certified

Gauge: 1/10th
Tufted Pile Weight: 28 oz.

Finished Pile Height: .218" High / .156" Med. / .125" Low Secondary Backing: Flex-Aire Modular® Cushion

Install Method: Vertical Ashlar Recommended

NOTE: Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.




18" X 36" Random Cut Tile







Suggested install: Vertical Ashlar




Inset Living Room (B) CP-02



Product Type: Inset Living Room Style Number: HS232 Color Number: 210

Specs: 32 oz. - 12' Width

Inset Living Room (B) CP-02



Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Inset Living Room (B) CP-02

Style Name: HS232
Color: 210
Pattern Repeat: 144" x 43"

Width: 12'

Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Environmental

Information: CRI Green Label Plus™ Certified

Construction: Dynamics
Gauge: 1/10th
Tufted Pile Weight: 32 oz.


Finished Pile Height: High .250"/Med .187"/Low .062"

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.



Inset Living Room Carpet Tile (B)) CP-02ALT



Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Inset Living Room Carpet Tile (B) CP-02ALT

 Style Name:
 HS53T

 Color:
 643

 Pattern Repeat:
 76" X 53.72"

 Tile Size:
 18" x 36"

Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Environmental

Information: CRI Green Label Plus™ Certified

Construction: Dynamics
Gauge: 1/10th
Tufted Pile Weight: 22 oz.

Finished Pile Height: High .250"/Med .187"/Low .062"
Secondary Backing: Flex-Aire Modular® Cushion
Install Method: Vertical Ashlar Recommended

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.




18" X 36" Random Cut Tile



# **Tarkett** Hospitality



Corridor (B) CP-10



Corridor (B) CP-10

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

ct: Jackie Passaro
Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Corridor Carpet (B) CP-10

 Style Name:
 HS342

 Color:
 310

 Pattern Repeat:
 72" x 72"

 Width:
 12'

Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green

Solution Dyed Nylon

Environmental

Information: CRI Green Label Plus™ Certified
Construction: Intrepid Multi-Level Loop Tip Shear

Gauge: 1/10th Tufted Pile Weight: 36 oz.

Finished Pile Height: High .250"/Med .187"/Low .062"

#### NOTES:

For 15' Width refer to B CP-10 (ALT)

Style: HS345 Color: 310 Repeat: 90"W x 72"L Repeat Type: Side Match Product Type; Intrepid Ounce Weight: 36 oz.

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish

Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.





#### Corridor Carpet Tile (B) CP-10ALT

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Corridor Carpet Tile (B) CP-10ALT

Style Name: HS55T Color: 310

Pattern Repeat: 76.00" X 73.14"
Tile Size: 18" x 36"
Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green

Solution Dyed Nylon

Environmental

Information: CRI Green Label Plus™ Certified
Construction: Intrepid Multi-Level Loop Tip Shear

Gauge: 1/10th Tufted Pile Weight: 34 oz.

Finished Pile Height: Secondary Backing: Install Method: High .250"/Med .187"/Low .062" Flex-Aire Modular® Cushion Vertical Ashlar/Herringbone

Recommended

#### NOTES:

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.



18" X 36" Random Cut Tile





# **Tarkett** Hospitality

Install: Vertical Ashlar





Install: Herringbone



Social Nook & Living Room (B) CP-11



Social Nook & Living Room (B) CP-11

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Social Nook & Living Room (B) CP-11

Style Name: HS442 Color: 410

Pattern Repeat: 72" x 182.40"

Width: 12

Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Environmental

Information: CRI Green Label Plus™ Certified
Construction: Intrepid Multi-Level Loop Tip Shear

Gauge: 1/10th Tufted Pile Weight: 36 oz.

Finished Pile Height: High .250"/Med .187"/Low .062"

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.





#### Social Nook & Living Room Carpet Tile (B) CP-11ALT

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Social Nook & Living Room Carpet Tile (B) CP-11ALT

Style Name: HS41T Color: 410

Pattern Repeat: 72" x 174.22"

Tile Size: 18" x 36"

Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Environmental

Information: CRI Green Label Plus™ Certified
Construction: Intrepid Multi-Level Loop Tip Shear

Gauge: 1/10th Tufted Pile Weight: 30 oz.

Finished Pile Height: .218" High / .156" Med. / .125" Low Secondary Backing: Flex-Aire Modular® Cushion Install Method: Vertical Ashlar Recommended

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.



18" x 36" Random Cut Tile





Inset at Dining Room Central Hub (B) CP-12



Inset at Dining Room Central Hub (B) CP-12

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Inset at Dining Room Central Hub (B) CP-12

Style Name: HS542 Color: 510

Pattern Repeat: 48" x 96.80"

Width: 12'

Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Environmental

Information: CRI Green Label Plus™ Certified
Construction: Intrepid Multi-Level Loop Tip Shear

Gauge: 1/10th Tufted Pile Weight: 36 oz.

Finished Pile Height: High .250"/Med .187"/Low .062"

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.





Inset at Dining Room Central Hub Carpet Tile (B) CP-12ALT

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Inset at Dining Room Central Hub Carpet Tile (B) CP-12ALT

 Style Name:
 HS47T

 Color:
 289

 Pattern Repeat:
 76" x 97.14"

 Tile Size:
 24" x 24"

Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Environmental

Information:

Construction:

CRI Green Label Plus™ Certified
Intrepid Multi-Level Loop Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 26 oz.
Finished Pile Height: .241"

Secondary Backing: Flex-Aire Modular® Cushion

Install Method: Vertical Ashlar/Quarter Turn Recommended

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.



24" X 24" Random Cut Tile









Install: Quarter Turn



#### Carpet at Meeting Room (B) CP-13

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Carpet at Meeting Room (B) CP-13

Style Name: HS336 Color: 610

Pattern Repeat: 180.00"W x 171.43"L

Width: 15

Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Environmental

Information: CRI Green Label Plus™ Certified
Construction: Intrepid Multi-Level Loop Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 36 oz.
Finished Pile Height: 220 in approx.

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.

Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.





#### Carpet Tile at Meeting Room (B) CP-13ALT

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Project Type: Carpet Tile at Meeting Room (B) CP-13ALT

Style Name: HS65T Color: 894

Tile Size: 24"W x 24"L
Smoke Density: Less Than 450

Fiber Content: 100% C.F. Lextron Enviro-Green Solution Dyed Nylon

Environmental


Information: CRI Green Label Plus™ Certified
Construction: Intrepid Multi-Level Loop Tip Shear

Gauge: 1/10th Tufted Pile Weight: 32 oz.

Finished Pile Height: High .250"/Med .187"/Low .062"
Install Method: Vertical Ashlar or Quarter Turn

Unless Using A Specified Manufacturer, The Following Item(s) are Required to be Submitted for Approval Prior to Fabrication: Finish Sample.


Manufacturer to Confirm the Carpet Meets Hilton Design and Construction Standards as Noted in Section 2514.03.



24" X 24" Random Cut Tile










Install: Quarter Turn



Luxury Vinyl Tile (B) RES-01



Luxury Vinyl Tile (B) RES-01

Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

Product Type: Enhanced Resilient Tile (A) RES-01
Style Name: Accore Waterproof Rigid Core SPC Plank

Style/Color: ACCOR-0024-7X48-VT

Plank Size: 7" x 48" Plank

Nominal Thickness: 5 mm

Core Thickness: 4 mm

Accoustical Backing: 1mm IXPE

Impact Sound Rating: 68

Wearlayer Thickness: 20 mil
Edge Treatment: Micro-bevel

Installation: Click, Drop Lock System
Carton Size: 23.64SF (10 planks per carton)

For installation instructions, warranty, maintenance and technical services, visit www.tarkett.com or contact Tarkett at (888) 639-8297.









<sup>\*\*</sup>Accore will be carried as a "stocking" item - US Warehouse


Resilient Wall Base

• Product Type: Monument4" Wall Base @ Guest Suites & Corridor

Style Number: MW-23-S4
Color Number: 23 Vapor Grey
Specs: 4"H x 0.25"D x 8'L

• Product Type: Monument 4" Wall Base @ Fitness

Style Number: MW-48-S4Color Number: 48 GreySpecs: 4"H x 0.25"D x 8'L



# **Dusk Suite Layout**

**Homewood Suites** 

