









Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000 Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarketthospitality.com

**Choose Tarkett** 

+ Approved Styles +

+ Lowest Pricing + Fast Delivery + 10-Year Warranty

+ Broadloom Carpet

+ Lextron Solution-Dyed Nylon



+ Product Type: Guest Room + Style Number: FP132 (15988-15) + Color Number: 168 (15988-15)

+ Specs: 32 oz. – 12′ W

+ Pattern Repeat: 48" x 48"



+ Product Type: Cove Base

+ Style Number: 738S + Color Number: 5510

+ Specs: 4" or 6"



+ Product Type: Door Drop

+ Style Number: FP236 (15988-21) + Color Number: 168 (15988-21) + Specs: 36 oz. – 12' W + Pattern Repeat: 18" x18"



+ Product Type: Corridor

+ Style Number: FP136 (15988-17) + Color Number: 168 (15988-17) + Specs: 36 oz - 12' W + Pattern Repeat: 36" x 36"



## MARRIOTT FOUR POINTS GUEST ROOMS





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarkett.com

Style Name: FP132 Four Points

Color: 168

Project Type: Guest Rooms

Machine Type: Dynamics

Pattern Repeat: 48" x 48"

Radiant Panel: Class 1

Smoke Density: Less Than 450

Warranty: 10 Year Wear Guarantee

Recycled Content: Lextron Essentials has 10% pre-consumer

recycled content.

Environmental

Information: CRI Green Label Plus™ Certified

Construction: D Dynamics-Servo Loop Scroll Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 32 oz.
Finished Pile Weight: 68 oz.

Finished Pile Height: High .25, Med .1875, Low .0625

Enviro-Green yarn has 10% pre-consumer recycled content.

Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.









## MARRIOTT FOUR POINTS PUBLIC SPACE





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarkett.com

Style Name: FP236 Four Points

Color: 168

Project Type: Public Space
Machine Type: Dynamics
Pattern Repeat: 18" x 18 "
Radiant Panel: Class 1

Smoke Density: Less Than 450

Warranty: 10 Year Wear Guarantee

Recycled Content: Lextron Essentials has 10% pre-consumer

recycled content.

Environmental

Information: CRI Green Label Plus™ Certified

Construction: D Dynamics-Servo Loop Scroll Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 36 oz.
Finished Pile Weight: 72 oz.

Finished Pile Height: High .25, Med .1875, Low .0625

Enviro-Green yarn has 10% pre-consumer recycled content.

Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.











+ Product Type: Door Drop

+ Style Number: FP236 (15988-21) + Color Number: 168 (15988-21)

+ Specs: 36 oz. – 12' W + Pattern Repeat: 18" x 18" **Tarkett** Hospitality

## MARRIOTT FOUR POINTS CORRIDOR





Manufacturer: Tarkett

Address: 285 Kraft Drive

Dalton, GA 30721

Phone: 706.277.3000
Contact: Jackie Passaro

Jackie.Passaro@tarkett.com

Web: www.tarkett.com

Style Name: FP136 Four Points

Color: 168
Project Type: Corridor
Machine Type: Dynamics
Pattern Repeat: 36" x 36"
Radiant Panel: Class 1

Smoke Density: Less Than 450

Warranty: 10 Year Wear Guarantee

Recycled Content: Lextron Essentials has 10% pre-consumer

recycled content.

Environmental

Information: CRI Green Label Plus™ Certified

Construction: D Dynamics-Servo Loop Scroll Tip Shear

Gauge: 1/10th
Tufted Pile Weight: 36 oz.
Finished Pile Weight: 72 oz.

Finished Pile Height: High .25, Med .1875, Low .0625

Enviro-Green yarn has 10% pre-consumer recycled content.

Recommended for Moderate (Rooms) carpet traffic levels.

NOTE: Due to the manufacturing process of a tip shear product, the finished yarn weight will vary more than normal manufacturing tolerances and side match cannot be guaranteed.

Carpet should be installed in accordance with the Carpet and Rug Institute's standard CRI-104. Carpet must be over manufacturer's recommended pad. Pattern streaks and banding are visually apparent streaking in patterned carpet resulting from linear juxtaposition of pattern elements visible in both length and width direction. IT IS NOT A CARPET DEFECT, but is inherent in solution dyed graphic and cut/loop patterns. All Specifications subject to normal manufacturing tolerance.









