


MODA SCHEME



MODA SCHEME

OVERVIEW



- Product Type: Guest Room
- Style Number: 00432
- Color Number: 268
- Specs: 32 oz. – 13' 6" Width
- Pattern Repeat: 162" W x 45.3" L



- Product Type: Replay Rubber Sports Floor
- Style Number: COMI-RA5
- Item Number: RF-01
- Color/Finish: Bluestone
- Specs: 24" x 24"
- Area: Fitness Center



- Product Type: Guest Room
- Style Number: 00532
- Color Number: 268
- Specs: 32 oz. – 13' 6" Width
- Pattern Repeat: 162" W x 45.3" L



- Product Type: Vinyl Composition Tile
- Style Number: VCT-1365
- Item Number: RF-02
- Color/Finish: 1635 Dark Taupe
- Specs: 12" x 12"
- Area: Back of House



- Product Type: Corridor
- Style Number: 00536
- Color Number: 368
- Specs: 36 oz. – 15' Width
- Pattern Repeat: 90" W x 45" L



- Product Type: Duracove Traditional Wall Base
- Style Number: DC(T)-469
- Item Number: RB-01
- Color/Finish: 469 Mystify
- Specs: 4" H
- Area: Guest Rooms, Corridors, Lobby, Back of House



- Product Type: Door Drop
- Style Number: 00736
- Color Number: 368
- Specs: 36 oz. – 15' Width
- Pattern Repeat: 30" H x 20.5" L



- Product Type: Duracove Traditional Wall Base
- Style Number: DC(T)-84
- Item Number: RB-02
- Color/Finish: 84 Blue Jean
- Specs: 4" H
- Area: Door Drops, Lobby Accent Wall, Fitness Center

MODA SCHEME

GUEST ROOM



MODA SCHEME

GUEST ROOM



MODA SCHEME

GUEST ROOM



Wyndham Spec: CP-01A
Area Name: Guest Room

Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
E-mail: Jackie.Passaro@tarkett.com
Web: www.tarkettna.com

Style Number: 00432
Design Number: D3898
Thread-Up: ABCD
Color: 268
Width: 13' 6"
Repeat: 162"W x 45.3"L
Type: Servo Scroll Loop Tip Shear
Content: Lextron Enviro-Green SD Nylon
Weight: 32 oz. tufted face weight
Primary Backing: Woven Polypropylene
Secondary Backing: Action Bac
Pile Height: .1875" average pile thickness
Gauge: 1/10"
Stitches Per Sq Inch: 10
Dye Method: Solution Dyed
Installation Method: Broadloom
Flame Requirements: Meets or exceeds requirement Class 1

Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



1	2	3	4
22.77%	30.65%	16.32%	30.26%
A-5057	B-8004	C-5522	D-8531

MODA SCHEME

GUEST ROOM



MODA SCHEME

GUEST ROOM



Wyndham Spec: CP-01B
Area Name: Guest Room

Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
E-mail: Jackie.Passaro@tarkett.com
Web: www.tarkettna.com

Style Number: O0532
Design Number: D3914
Thread-Up: ABCD
Color: 268
Width: 13' 6"
Repeat: 162"W x 45.3"L
Type: Servo Scroll Loop Tip Shear
Content: Lextron Enviro-Green SD Nylon
Weight: 32 oz. tufted face weight
Primary Backing: Woven Polypropylene
Secondary Backing: Action Bac
Pile Height: .1875" average pile thickness
Gauge: 1/10"
Stitches Per Sq Inch: 10
Dye Method: Solution Dyed
Installation Method: Broadloom
Flame Requirements: Meets or exceeds requirement Class 1




Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



MODA SCHEME

CORRIDOR



MODA SCHEME

CORRIDOR



MODA SCHEME

CORRIDOR



Wyndham Spec: CP-03A
Area Name: Corridor

Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
E-mail: Jackie.Passaro@tarkett.com
Web: www.tarkettna.com

Style Number: O0536
Design Number: D3849
Thread-Up: ABCD
Color: 368
Width: 15'
Repeat: 90"W x 45"L
Type: Servo Scroll Loop Tip Shear
Content: Lextron Enviro-Green SD Nylon
Weight: 36 oz. tufted face weight
Primary Backing: Woven Polypropylene
Secondary Backing: Action Bac
Pile Height: .250" average pile thickness
Gauge: 1/10"
Stitches Per Sq Inch: 12
Dye Method: Solution Dyed
Installation Method: Broadloom
Flame Requirements: Meets or exceeds requirement Class 1



Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



1	2	3	4
18.23%	31.33%	24.87%	25.57%
A-5057	B-8004	C-5522	D-8531

MODA SCHEME

DOOR DROP



MODA SCHEME

DOOR DROP



Wyndham Spec: CP-02A
Area Name: Door Drop

Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
E-mail: Jackie.Passaro@tarkett.com
Web: www.tarkettna.com

Style Number: O0736
Design Number: D3883
Thread-Up: ABCD
Color: 368
Width: 15'
Repeat: 30"W x 20.5"L
Type: Servo Scroll Loop Tip Shear
Content: Lextron Enviro-Green SD Nylon
Weight: 36 oz. tufted face weight
Primary Backing: Woven Polypropylene
Secondary Backing: Unitary with Action Bac
Pile Height: .250" average pile thickness
Gauge: 1/10"
Stitches Per Sq Inch: 12
Dye Method: Solution Dyed
Installation Method: Broadloom
Flame Requirements: Meets or exceeds requirement Class 1



Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



1	2	3	4
11.71%	51.76%	16.95%	19.58%
A-5057	B-8004	C-5522	D-8531

MODA SCHEME

MEETING ROOM

BACK OF HOUSE BOOKKEEPING & MANAGER'S OFFICE



Wyndham Spec: CP-06A
Area Name: Door Drop

Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
E-mail: Jackie.Passaro@tarkett.com
Web: www.tarkettna.com

Style Number: O0736
Design Number: D3883
Thread-Up: ABCD
Color: 368
Width: 15'
Repeat: 30"W x 20.5"L
Type: Servo Scroll Loop Tip Shear
Content: Lextron Enviro-Green SD Nylon
Weight: 36 oz. tufted face weight
Primary Backing: Woven Polypropylene
Secondary Backing: Unitary with Action Bac
Pile Height: .250" average pile thickness
Gauge: 1/10"
Stitches Per Sq Inch: 12
Dye Method: Solution Dyed
Installation Method: Broadloom
Flame Requirements: Meets or exceeds requirement Class 1




Notes:

Manufacturer to confirm the carpet meets Wyndham Design and Construction standards as noted in section 2514.03.

Instructions:

- Installer to provide all materials and equipment for complete installation, seaming diagrams, and full carpet layouts for all areas per manufacturer's recommendation.
- All quantities to be verified by installer.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



MODA SCHEME

FITNESS CENTER



Wyndham Spec: RF-01
Area Name: Fitness Center

Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
E-mail: Jackie.Passaro@tarkett.com
Web: www.tarkett.com

Description: Replay Multi-Function & Sports Rubber Tile
Product: COMI-RA5
Item Number: RF-01
Color/Finish: RA5 Bluestone
Size/Dimension: 24" x 24"
Material: Interlocking tiles made from recycled tires



RA5 Bluestone

Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

Instructions:

- Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721

MODA SCHEME

BACK OF HOUSE



Wyndham Spec: RF-02
Area Name: Back of House

Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
E-mail: Jackie.Passaro@tarkett.com
Web: www.tarkett.com

Description: Vinyl Composition Tile
Product: VCT-1365
Item Number: RF-02
Color/Finish: 1365 Dark Taupe
Size/Dimension: 12" x 12"
Material: Phthalate-free, 100% recyclable



1365 Dark Taupe

Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

Instructions:

- Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721

MODA SCHEME

WALL BASE



Wyndham Spec: RB-01
Area Name: Guest Rooms, Corridors, Lobby, Back of House

Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
E-mail: Jackie.Passaro@tarkett.com
Web: www.tarkett.com

Description: Traditional Duracove Rubber Wall Base
Product: DC(T)-469
Item Number: RB-01
Color/Finish: 469 Mystify
Size/Dimension: 4" H
Material: Toeless for Carpeted Areas/
With Toe for Resilient Areas

Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

Instructions:

- Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



Traditional Rubber Wall Base
4" Duracove Toeless (Carpet)



Traditional Rubber Wall Base
4" Duracove With Toe (Resilient)



469 Mystify

MODA SCHEME

WALL BASE



Wyndham Spec: RB-02
Area Name: Door Drops, Lobby Accent Wall, Fitness Center

Manufacturer: Tarkett
Address: 285 Kraft Drive
Dalton, GA 30721
Phone: 706.277.3000
Contact: Jackie Passaro
E-mail: Jackie.Passaro@tarkett.com
Web: www.tarkett.com

Description: Traditional Duracove Rubber Wall Base
Product: DC(T)-84
Item Number: RB-02
Color/Finish: 84 Blue Jean
Size/Dimension: 4" H
Material: Toeless for Carpeted Areas/
With Toe for Resilient Areas

Notes:

Unless Using A Specified Manufacturer, The Following Required Item(s) for Approval Prior to Fabrication: Finish Sample

Instructions:

- Must be of contract quality and suitable for commercial use.
- Installer to follow all manufacturer's installation guidelines for surface preparation and installation.
- Contractor to verify all sizes, quantities, and trim pieces required.
- Contractor to install with a 45 degree miter on all corners.
- All materials and methods of construction must comply with all local fire and life safety codes for use in hotels and other public spaces, and Wyndham Brand Standards.

No printed material contained here-in may be reproduced without written permission of Tarkett Hospitality. Due to variations in monitors, printers and light sources, we cannot guarantee that the colors in this image will be an exact match to your colors. 285 Kraft Drive Dalton, GA 30721



Traditional Rubber Wall Base
4" Duracove Toeless (Carpet)



Traditional Rubber Wall Base
4" Duracove With Toe (Resilient)



84 Blue Jean